
# Product Data Sheet - L Marker S5-LM22080







Ecoglo L Marker has been designed to ensure visibility of the sides of steps in buildings. The L Marker will be effective in all light conditions including during failure of the main lighting.

#### **COMPLIANCE**

The L Marker is suitable for use indoors and outdoors. UL1994 tested, the L marker will provide visibility in low light conditions.

UV Resistance - Loss of luminance after 1000 hrs ASTM G-155

Cycle 1 exposure: <10%: Pass

Salt Spray Resistance - ASTM B117: Pass

Washability - ASTM D4828: Pass

Rate of Burning - ASTM D635: Pass

Surface Flammability - ASTM E162: Pass


Toxicity - Bombardier Toxic Gas Generation Test SMP800-C: Pass


Radioactivity - ASTM D3648: Pass

High Temperature Curing: Pass

#### SUPPLY

The product is available in a pack containing  $10 \times 10 \times 10^{-2}$  x right side L Markers. The L Marker is supplied as a straight length with a notch cut out (as in drawing) so that it can be folded into an L shape at installation.





#### **COMPOSITION**

The L Marker is manufactured from extruded 6063T5 aluminium section. Custom made photoluminescent pigment is embedded in thermoset polyester carriers to integrally bond the active ingredients into the aluminium following curing at high temperature. The photoluminescent area is also recessed into protective channels.

#### INSTALLATION

Indoors the L Marker can be surface mounted on all smooth surfaces. Outdoors the L Marker can be surface mounted onto concrete.

Installation needs to be carried out strictly in accordance with the Ecoglo installation instructions.

Consult Installation Instructions on website for full details and surface preparation.

(See order codes below for the product that best suits).

**S5-LM22080** L Marker for polyurethane adhesive fixing

### Contact

## **Ecoglo Fire Protection Product Trading**

Address: 36-C Gloria Street, Barangay San Carlos,

Binangonan Rizal 1940, Philippines

**Office:** +632-8802-4760 **Cell:** +63917-514-6803

+63968-356-4773

Email: keith.phillips@ecoglo.com

Web: www.ecoglo.ph www.EcogloAsia.com www.EcogloVenues.com